



Gramin Krishi Mausam Sewa
District Level Agromet Advisory Bulletin
 Orissa University of Agriculture & Technology,
 Bhubaneswar



Agromet Advisory Bulletin

Date : 01-12-2023

Weather Forecast of District ANUGUL(Odisha) Issued On : 2023-12-01(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-12-02	2023-12-03	2023-12-04	2023-12-05	2023-12-06
Rainfall(mm)	0.0	0.0	0.0	2.0	7.0
Tmax(°C)	32.0	31.0	31.0	30.0	29.0
Tmin(°C)	16.0	16.0	17.0	18.0	19.0
RH-I(%)	73	76	75	91	93
RH-II(%)	35	39	43	64	88
Wind Speed(kmph)	6	7	8	6	5
Wind Direction(Degree)	111	103	111	109	69
Cloud Cover(Octa)	3	3	4	5	6

Weather Summary/Alert:

Light to moderate rain/ thundershower very likely to occur at a few places over the district on Monday and Tuesday and the other days likely to remain dry weather. The maximum temperature may range from 29-32°C. The minimum temperature may range 16-19°C. The wind will blow usually Easterly with a speed of 5-8 kmph up to Tuesday. The maximum and minimum humidity is likely to remain in the range of 73-93% and 35-88% respectively. According to Indian Meteorological Department a Cyclonic Storm likely to be formed over Southwest Bay of Bengal around 3rd December.

General Advisory:

Store enough clean drinking water and fodder for 3-4 days. Make sure the shelter is safe enough during rainfall. Give staking to vine vegetable crop for support during heavy rainfall and wind. Harvest the mature vegetables, make provision for drainage of excess

SMS Advisory:

Pruning of the lower most and aged leaves in Vegetable plants.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
RICE	Transplanted rice at maturity stage. Medium to light rainfall is likely to occur on Monday and Tuesday. Store the harvested product in safe place to avoid vivipary germination.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BRINJAL	There are chances of fungal infestation in vegetable after rainfall, go for application of Carbendazim+Mancozeb 2 gram/litre after rain if infestation is noticed.

Fisheries Specific Advisory:

Fisheries(Varieties)	Fisheries Specific Advisory
COMMON FISH	Go for application of 80-100 kg stone lime after heavy rainfall.

Poultry Specific Advisory:

Poultry(Varieties)	Poultry Specific Advisory
CHICKEN	Prevent the feed ingredients from getting wet, and the amount of feed should not be too much. The compound feed in the house should be placed on the platform above the ground to prevent the feed from regaining moisture. Regular checking of feeders to avoid

Poultry(Varieties)	Poultry Specific Advisory
	fungus contamination. Provide your birds with warm water periodically during this rainy season to encourage consumption and help them keep warm without using up energy reserved in the process. Supplementary feeding should be given to the scavenging birds in backyard.