

Gramin Krishi Mausam Sewa India Meteorological Department Orissa University of Agriculture and Technology, Regional Research & Technology Transfer Sub Station,



Kirei, Sundergarh

Dr. Sajeeb Kumar Biswasi,

Senior Scientist & Nodal Officer, GKMS

No-30(Eng.Bulletin) Dt -12.04.2024

Week No -15

District – Deogarh (North Western Plateau Agroclimatic Zone)

The mean maximum daily temperature was 34.2°C & mean minimum daily temperature was 25.2°C in Sundergarh district during last week. The District received in average 0.0 mm rainfall during the last week. Early sown rabi crops like Pulses, Oilseeds crop are at harvesting stage. The Vegetables are at harvesting stage. The overall crop condition is normal. The rabi paddy is in transplanted stage.

Forecast (Up to 17.04.2024)

Given by Met.Centre, IMD, Bhubaneswar

DISTRICT: DEOGARH As per IMD Forecast, the district is may likely receive no rainfall for the next five days. The sky condition may be mainly clear to partly cloudy for the next five days. The wind speed is likely to remain within 5-7km/h. The Maximum Temperature and Minimum Temperature will likely to remain between 32-38^oC and 21-25^oC respectively for the next five days.

WARNING : There are no chance of rainfall at Deogarh district for coming 5days.

DISTRICT					
Date	13/04/2024	14/04/2024	15/04/2024	16/04/2024	17/04/2024
Rainfall (mm)	0	0	0	0	0
T.MAX(°C)	32	34	36	36	38
T.MIN (°C)	21	22	24	24	25
Cloud Cover	4	3	2	1	1
Rh Max (%)	51	43	42	48	53
Rh Min (%)	25	19	22	19	18
Wind speed	6	7	5	6	5
(kmph)					
Wind Direction	234	285	112	292	158
(deg)					

For further information,contact the Met. Centre,Aerodrom Area, IMD, Bhubaneswar, Tel.# 0674-2596116 Agromet Advisory

DISTRICT:DEOGARH:-

General Advisory : In case of shortage of water, go for alternative row irrigation method for better utilization of water which saves around 50% water. Also the drip irrigation system in Orchard saves water. Sprinkling irrigation method reduces the effect of high temperature.

Advisory :	
Stage of the	Agromet Advisory
Crop	
Tillering stage	Due to rise in temperature, the BPH attacke may be seen, to manage this,
	make alleys in eeach meter gap for effective sunlight at the base of the plant,
	chemically spray in above ETL Ethofenfrox @ 1 ml per liter of water.
PI stage	leaf folder may attack, go for spraying Lambdacyalothrin @ 1ml per liter of
	water.
Branching	Due to weather survey the infestation of YMV disease and to manage this
	apply Ridomil MZ @ 2g/liter of water.
	Collect good quality ginger Rhizomes namely Suprava, Suruchi, Suravi. Seed
	rate is 6-8 q/ac. Each piece should be 20 g and contain 2-3 eyes. Treat the
	seeds before planting in the field.
Pod	Provide irrigation due to rise in temperature at pod development
Development	
	Stage of the Crop Tillering stage PI stage Branching

It is prepared based on the information available and not legal.

Ragi	Tillering stage	Due to diurnal variation in temperature, After 3-4 weeks of planting finger millet , apply 12 kg of molasses per acre.
Animal		Due to rise in temperature provide the animal clean and sufficient drinking water.
Vegetables	Vegetative growth	Due to temperature effect in brinjal Foot & Shoot borer can be managed by application of Neem based pesticides 330 ppm @ 1 liter per acre.
Pisciculture	Growth stage	Due to rise in temperature, survey for oxygen deficit may be there.
Onion	Harvesting stage	Harvest the onion laving 2-3 cm from the neck and cut all the roots and dry it under shed during high temperature.

For any problem related to agriculture sector, please dial the toll free number 1551.

For better agricultural benefits use, **OUAT KALINGA** Products (Seedlings, Saapplings and QPM, Tissue culture plants, Fruits and vegetables, value added products, Fingerlings/Yearlings, Poultry chicks, Breeds, Mushrooma and spwn, Biofertilizer, Biopesticides, Vermi & Vermicompost and Farm implements) IMD weather forecast & Agrometeorological Advisory of Odisha location is now available on Meghdoot mobile app in English & Odia Language.

Download: (Andriod: https://play.google.com/store/apps/details?id=com.aas.meghdoot)

ବି : ଦ୍ରଷ୍ଟବ୍ୟ :ଓୟୂଏଟି ଶାଖା ଚିପଲିମା ଓ ଗମ୍ଭାରିପାଲି ବିହନ ଗବେଷଣା ଫାର୍ମ ଠାରେ ସ୍ପର୍ଶ ଧାନ ବିହନ ୨୦ କିଗ୍ରା ବଞା ପିଛା ଟ. ୭୧୨ ୪୦ . ପଇସା ଚାଷୀ ନିମିତ୍ତ ବିକ୍ରି ହଉେଅଛି ।

Nodal Officer