



**Gramin Krishi Mausam Sewa**  
**India Meteorological Department**  
**Odisha University of Agriculture and Technology**  
**Ranital, Bhadrak, - 756111**



WeekNo.23

No-47(Eng.Bulletin)  
Dt.-13.06.2025

District-Jajpur(North-Eastern Coastal Plain Zone)

Forecast (Upto 18.06.2025)  
Given by Met. Centre,IMD,Bhubaneswar

**DISTRICT: Jajpur**– As per IMD forecast, the district is likely to receive **light to moderate rain for next 5 days** with partly cloudy to generally cloudy sky. The wind will blow in a speed within 02-07km/h. The maximum temperature and minimum temperature will likely to remain 32-33°C and 24-25°C to respectively for the next five days.

DISTRICT	Date	Rainfall (mm)	T-MAX (C)	T-MIN (C)	Cloud Cover	Rh Max (%)	Rh Min (%)	Wind speed (kmph)	Wind Direction (deg)
<b>JAJPUR</b>	14-06-2025	5.4	33	24	5	78	46	6	177
	15-06-2025	2	32	24	3	80	49	7	191
	16-06-2025	7	32	24	5	77	46	6	207
	17-06-2025	15	32	24	6	77	43	2	349
	18-06-2025	16.3	32	25	6	83	56	4	261

For further information, contact the Met. Centre, Aerodrom Area,IMD,Bhubaneswar,Tel.#0674-2596116.

**Crop and Livestock Specific Agromet Advisory**

<b>General Advisory</b>	<ol style="list-style-type: none"> <li>1. According to MC, Bhubaneswar forecast , light to moderate rain expected in coming days, Farmers are advised to take proper care during irrigation or any kind of spraying operations.</li> <li>2. Provide needful irrigation to crops and vegetables.</li> <li>3. For timely planting of vegetables prepare the nursery bed for better utilization of rain water.</li> <li>4. For Kharif paddy cultivation, use good quality seeds like-            For Medium land -use Salandi,Kaling dhan-1301,Pratikhya            For shallow medium land-Swarna,Ranidhan,Mrunalini,MTU-1140,Kaling Dhan 1401            For Low land- Kaling Dhan 1502,Kalachampa,Kaling Dhan-1501,CR-1009            For Flood affected area- Swarna sub 1,CR-1009 Sub 1</li> </ol>	
<b>Crop Name</b>	<b>Crop Stage</b>	<b>Agromet Advisory</b>
<b>Kharif Rice</b>	Land preparation	<ul style="list-style-type: none"> <li>➤ Prepare well pulverised nursery bed for Kharif Rice. Sowing of pre-generated seeds should be done after seed treatment with Carbendazim @ 2 gm along with Plantomycin @ 1 gm per Kg seed.</li> <li>➤ Instead of manual DSR followed by beushaning the farmers are advised to follow mechanized DSR cultivation with appropriate package of practices (Variety selection, Seed treatment, Nutrient management).</li> <li>➤ Go for green manuring crops i.e. Dhanicha immediately after summer ploughing. Arrange good quality seeds of Dhanicha @12kg/acre as green manuring crop.</li> </ul>
<b>Sugarcane</b>	Vegetative stage	<ul style="list-style-type: none"> <li>➤ Wrapping and propping should be done when the crop becomes 4-5 months old in medium and late duration varieties.</li> <li>➤ Tie sugarcane leaves from four to five plants together to prevent lodging and carryout propping.</li> </ul>
<b>Vegetables</b>	Nursery/ Flowering/	<ul style="list-style-type: none"> <li>➤ For timely planting of kharif vegetables like Brinjal &amp;Chilli ,prepare the nursery bed &amp; treat the seed with (Carboxin+Thiram)@2g/kg of seed.</li> </ul>

	Fruiting	<ul style="list-style-type: none"> <li>➤ Make arrangement for covering plastic cover or polythene sheet for vegetables nursery like tomato, chilli and brinjal.</li> <li>➤ Collect the fallen vegetables &amp; immediately dispose to market.</li> <li>➤ Do not apply any fertilizer or pesticide until rain water recedes.</li> </ul>
<b>Fruit</b>	Fruiting	<ul style="list-style-type: none"> <li>➤ <b>Papaya-</b></li> <li>➤ Install Yellow Sticky trap to trap the vector (Whitefly) of Papaya Leaf Curl Virus.</li> <li>➤ Staking should be done with bamboo and other types of sticks during the fruit development stage to protect the plant against winds &amp; rainfall.</li> </ul>
<b>Livestock</b>	Cattle	<ul style="list-style-type: none"> <li>➤ Animals should be given mineral mixture along with salt regularly and wheat grains, jaggery etc. may be provided @ 10%-20% in the daily ration during winter season to meet the energy requirement of the animals.</li> <li>➤ Clean the animal shed by removing excreta &amp; provide clean drinking water to animals.</li> <li>➤ Fodder may be stored in safer place.</li> </ul>

Mrs. Meera Mahanty  
Jr. Agrometeorologist  
AMFU, RRTTS, Ranital

Dr. Biswaranjan Nayak  
ADR & NODAL OFFICER  
AMFU, RRTTS, Ranital

**For better agricultural benefits use, **OUAT KALINGA** products (Seedlings, Saplings & QPM, Tissue Culture Plants, Fruits & Vegetables, Value Added Products, Fingerlings/ Yearlings, Poultry chicks, Breeds, Mushroom & Spawn, Bio-Fertilizer, Bio-Pesticides, Vermi & Vermi Compost and Farm Implements).**

Kindly download and use the “MAUSAM” App for location-specific forecast and warning, “Meghdoot” App for Weather forecast & Agromet advisory and “Damini” App for Lightning, Thunderstorm warning & Forecasting.

**Download: (Android: <https://play.google.com/store/apps/details?id=com.aas.meghdoot>), (iOS: <https://apps.apple.com/in/app/meghdoot/id1474048155>)**