



Gramin Krishi Mausam Sewa
India Meteorological Department
Odisha University of Agriculture and Technology
Ranital, Bhadrak, - 756111



WeekNo.45

No-89(Eng.Bulletin)
Dt.-07.11.2025

District-Jajpur(North-Eastern Coastal Plain Zone)

Forecast (Upto 12.11.2025)
Given by Met. Centre,IMD,Bhubaneswar

DISTRICT: Jajpur– As per IMD forecast, the district is likely to receive **dry weather for next 5 days** with clear sky. The wind will blow in a speed within 07-08km/h. The maximum temperature and minimum temperature will likely to remain 30-31°C and 20-21°C to respectively for the next five days.

DISTRICT	Date	Rainfall (mm)	T-MAX (C)	T-MIN (C)	Cloud Cover	Rh Max (%)	Rh Min (%)	Wind speed (kmph)	Wind Direction (deg)
JAJPUR	2025-11-08	0	31	21	2	72	44	8	344
	2025-11-09	0	30	21	1	64	37	8	343
	2025-11-10	0	30	20	2	61	34	7	342
	2025-11-11	0	30	20	2	65	35	7	334
	2025-11-12	0	31	20	2	66	35	7	328

For further information,contact the Met.Centre,Aerodrom Area,IMD,Bhubaneswar,Tel.#0674-2596116.

Crop and Livestock Specific Agromet Advisory

General Advisory		<ul style="list-style-type: none"> • Taking the advantage of store soil moisture, farmer should start land preparation for rabi crops like mustard, toria, sunflower and sowing should be completed soon to get optimum yield. • Visit to field regularly to observe the infestation levels of BPH, WBPH, Leaf folder ,Gundhy bug and & the incidence of BLB and Blast. • Consult to nearest veterinary doctor for vaccination and deworming in animals. • Clean the animal shed by spraying disinfectant/bleaching powder/phenyl.
Crop Name	Crop Stage	Agromet Advisory
Kharif Rice	Booting/ Flowering	<ul style="list-style-type: none"> ➤Prevailing warm and humid weather may increases the incidence of Sheath blight and Blast disease in rice so apply (Tebuconazole + Trifloxystrobin) @100g/acre along with plantomycin@200g/acre recommended. ➤Prevailing microclimate condition may increase the population of Plant Hoppers.If the BPH &WBPH infestation is at initial stage alternating drying &wetting of field & foliar application of neem based formulation 1500ppm (600ml /acre),Fonicamid@80g/acre or Dinotefuron@80g/acre recommended.If the population is around ETL(8-10)/hill spraying of (Ethiprol + pymetrozine)@170g/acre recommended. ➤Monitor the population level of WBPH & BPH by regular field visit.
Rapeseed and Mustard	Land preparation	<ul style="list-style-type: none"> ➤Taking the advantage of store soil moisture, land preparation and sowing of the crop should be completed soon to get optimum yield. ➤Suitable varieties: Toria- Anuradha, Parbati, Sushree ➤Indian mustard- NRCHB 101, Mahyco bold, JD 6,Sampoorna ➤Seed rate- 8-10 Kg/ha, Spacing- 30 cm X 10 cm
Vegetables	Nursery /Flowering/ Fruiting	<ul style="list-style-type: none"> ➤To prevent wilting or partial wilting in brinjal,drain the excess water from the field. Apply Neem or Karanja cake @ 1g/acre, Drenching of Tebuconazole @ 1ml/liter

		recommended. ➤If the seedlings of early duration varieties of vegetables are damaged , treat the seedlings with (Metalaxyl + Mancozeb) @ 2g/li of water and Plantomycin @ 1g/liter of water.
Fruits	Flowering/ Fruiting	❖ Coconut -Monitor the activity of the Red palm weevil and Rhinoceros beetle by placing pheromone trap. Spray Lambda cyhalothrin @1.2ml/lit of water to the nearby manure pits for killing the developing stages of Rhinoceros beetle.
Livestock		➤If the animals have not yet been vaccinated against FMD, Haemorrhagic Septicaemia, Black Quarter, Enterotoxemia etc., these must be done. ➤Keep shed clean and dry to protect animals from disease and insects

Mrs. Meera Mahanty
Jr. Agrometeorologist
AMFU, RRTTS, Ranital

Dr.Biswaranjan Nayak
ADR & NODAL OFFICER
AMFU,RRTTS, Ranital

For better agricultural benefits use, **OUAT KALINGA** products (Seedlings, Saplings & QPM, Tissue Culture Plants, Fruits &Vegetables, Value Added Products, Fingerlings/ Yearlings, Poultry chicks, Breeds, Mushroom & Spawn, Bio-Fertilizer, Bio-Pesticides,Vermi&Vermi Compost and Farm Implements).

Kindly download and use the “MAUSAM” App for location-specific forecast and warning, “Meghdoot” App for Weather forecast &Agromet advisory and “Damini” App for Lightning ,Thunderstorm warning & Forecasting.

Download:(Android:<https://play.google.com/store/apps/details?id=com.aas.meghdoot>),(iOS:<https://apps.apple.com/in/app/meghdoot/id1474048155>)