



**Gramin Krishi Mausam Sewa**  
**India Meteorological Department**  
**Odisha University of Agriculture and Technology**  
**Ranital, Bhadrak, - 756111**



WeekNo.50

No-99(Eng.Bulletin)  
Dt.-12.12.2025

District-Jajpur(North-Eastern Coastal Plain Zone)

Forecast (Upto 17.12.2025)  
Given by Met. Centre,IMD,Bhubaneswar

**DISTRICT: Jajpur**– As per IMD forecast, the district is likely to receive **dry weather for next 5 days** with clear sky. The wind will blow in a speed within 06-08 km/h. The maximum temperature and minimum temperature will likely to remain 28-29°C and 13-14°C to respectively for the next five days.

DISTRICT	Date	Rainfall (mm)	T-MAX (C)	T-MIN (C)	Cloud Cover	Rh Max (%)	Rh Min (%)	Wind speed (kmph)	Wind Direction (deg)
<b>JAJPUR</b>	2025-12-13	0	28	13	0	68	29	7	330
	2025-12-14	0	29	13	0	69	31	8	329
	2025-12-15	0	29	13	1	71	31	7	323
	2025-12-16	0	29	13	0	70	32	7	326
	2025-12-17	0	29	13	1	78	40	7	319

For further information,contact the Met.Centre,Aerodrom Area,IMD,Bhubaneswar,Tel.#0674-2596116.

**Crop and Livestock Specific Agromet Advisory**

<b>General Advisory</b>		<ul style="list-style-type: none"> <li>❖ After harvesting of paddy, it is ideal time for sowing pulses like green gram &amp; black gram.</li> <li>❖ Harvest matured paddy crops and store them in safer place after sun drying.</li> <li>❖ Provide necessary irrigation to vegetable crops.</li> </ul>
<b>Crop Name</b>	<b>Crop Stage</b>	<b>Agromet Advisory</b>
<b>Kharif Rice</b>	<b>Harvesting /Storage</b>	<ul style="list-style-type: none"> <li>➤As the weather will remain clear &amp; dry, harvest the matured rice crops &amp; lower its moisture content by keeping it in sunlight during the day time.</li> <li>➤Grains must be dried under sun for 3-4 days to 14% moisture for consumption and 12% moisture for seed purpose.</li> <li>➤Clean the storage Go down properly and spray Lambda Cyahalothrin 4.9CS@ 1.5ml/li. of water to minimize the chance of future infestation of storage pest.</li> <li>➤Make the threshing floor and storage ground clean and disinfectant the same.</li> </ul>
<b>Rapeseed and Mustard</b>	<b>Vegetative</b>	<ul style="list-style-type: none"> <li>➤Irrigate the crop in seedling stage &amp; monitor insect pest .</li> <li>➤Application of Bentonite Sulphur @30kg/ha for increasing the oil content .Otherwise select Grommer (20:20:0:13) and MOP as a source of N,P,K &amp; S.</li> </ul>
<b>Pulse crops</b>	<b>Sowing</b>	<ul style="list-style-type: none"> <li>➤After harvesting of paddy in medium land, it is ideal time for land preparation for sowing pulses like green gram &amp; black gram.</li> <li>➤Sow the seeds after treating with(Carboxin+Thiram )@ 2gm/kg of seed or treat the seed after 7 days of above insecticide with specific Rhizobium culture before sowing.</li> <li>➤Seed rate: Green gram and Black gram: 25-30Kg/ha.</li> <li>➤Fertilizer dose:20-40-20 Kg N-P2O5-K2O/ha</li> </ul>
<b>Vegetables</b>	<b>Flowering/ Fruiting</b>	<ul style="list-style-type: none"> <li>➤To control Fruit and shoot borer in Brinjal, Spray Neem based pesticide 1500ppm @600ml/acre at initial stages. Later on go for alternate spray of Spinosad 45% SC @70ml/acre and Thiodicarb@300g/acre at 15 days interval.</li> <li>➤To control thrips in Chilli and aphids in Cowpea crop, spray Imidacloprid @ 5 ml in 10 litres</li> </ul>

		of water.
<b>Fruits</b>	<b>Flowering</b>	<ul style="list-style-type: none"> <li>➤ <b>Papaya</b>-Install Yellow Sticky trap to trap the vector (Whitefly) of Papaya Leaf Curl Virus. Alternate spraying of Neem oil formulation 1500ppm @3ml/lit of water and flonicamid 50WG @0.3g/litre to control whitefly.</li> <li>➤ Avoid Growing of crops like – Okra, Cowpea in the near vicinity of papaya crops.</li> </ul>
<b>Livestock</b>		<ul style="list-style-type: none"> <li>➤ If the animals have not yet been vaccinated against FMD, Haemorrhagic Septicaemia, Black Quarter, Enterotoxemia etc., these must be done.</li> <li>➤ Keep shed clean and dry to protect animals from disease and insects</li> </ul>

Mrs. Meera Mahanty  
Jr. Agrometeorologist  
AMFU, RRTTS, Ranital

Dr. Biswaranjan Nayak  
ADR & NODAL OFFICER  
AMFU, RRTTS, Ranital

**For better agricultural benefits use, **OUAT KALINGA** products (Seedlings, Saplings & QPM, Tissue Culture Plants, Fruits & Vegetables, Value Added Products, Fingerlings/ Yearlings, Poultry chicks, Breeds, Mushroom & Spawn, Bio-Fertilizer, Bio-Pesticides, Vermi&Vermi Compost and Farm Implements).**

Kindly download and use the “MAUSAM” App for location-specific forecast and warning, “Meghdoot” App for Weather forecast & Agromet advisory and “Damini” App for Lightning ,Thunderstorm warning & Forecasting.

**Download:(Android:<https://play.google.com/store/apps/details?id=com.aas.meghdoot>),(iOS:<https://apps.apple.com/in/app/meghdoot/id1474048155>)**